+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

1 of 1

Hixotic 2g Jeffrey Snozzberry 2G Dispo

Sample ID: SA-240404-37751

Batch: 0008

Type: Finished Product - Inhalable

Matrix: Concentrate - Distillate

Unit Mass (g):

Received: 04/24/2024 Completed: 05/08/2024 Client

Simple Inc 980 W 17th ST Santa Ana, CA 92706

USA





Summary

TestCannabinoids

Date Tested 05/08/2024

Status Tested

0.0788 % Δ9-THC

69.7 % Δ8-THC **77.8** % Total Cannabinoids

Not Tested

Moisture Content

Not Tested

Foreign Matter

Yes

Internal Standard Normalization

Cannabinoids by GC-MS/MS

Analyte	LOD	LOQ	Result	Result
CDC	(%)	(%)	(%)	(mg/g)
CBC	0.0095	0.0284	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDP	0.0067	0.02	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	ND	ND
CBL	0.0112	0.0335	ND	ND
CBN	0.0056	0.0169	0.451	4.51
CBT	0.018	0.054	0.0888	0.888
Δ4,8-iso-THC	0.0067	0.02	0.209	2.09
Δ6a,10a-THC	0.0067	0.02	1.52	15.2
Δ8-iso-THC	0.0067	0.02	0.110	1.10
Δ8-THC	0.0104	0.0312	69.7	697
Δ8-THCP	0.0067	0.02	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Δ8-THCV	0.0067	0.02	0.154	1.54
Δ9-THC	0.0076	0.0227	0.0788	0.788
Δ9-ΤΗCΑ	0.0084	0.0251	4.64	46.4
Δ9-THCP	0.0067	0.02	0.500	5.00
Δ9-THCV	0.0069	0.0206	ND	ND
(6a R,9R)-Δ10-THC	0.0067	0.02	0.301	3.01
(6a R,9S)-Δ10-THC	0.0067	0.02	ND	ND
Total Δ9-THC			4.15	41.5
Total			77.8	778

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; \(\Delta \) = Delta; Total \(\Delta \) 9-THC = \(\Delta \) 7-THC + \(\Delta \) 9-THC; Total \(\Delta \) 7-THC = \(\Delta


Generated By: Ryan Bellone CCO

Date: 05/08/2024

Tested By: Scott Caudill Laboratory Manager Date: 05/08/2024









This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories and provide measurement uncertainty upon request.